

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1229	fuse with impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 11:16
L3	159	blown with fuse with impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 11:17
L4	93	blown with fuse with impedance same voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 11:21
L5	3224	"conductive organic"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 12:38
L6	83	"conductive organic" with (advantag\$4 or benefit\$4 or motivat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 12:38
L7	104	"conductive organic" with (advantag\$4 or benefit\$4 or motivat\$4 or desir\$4 or choos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 12:39
L9	3	"0145588"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 12:45
L10	0	US0145588	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 12:46
L11	0	"40145588"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 12:47
L12	358	conduct\$4 near1 organic with (advantag\$4 or benefit\$4 or motivat\$4 or desir\$4 or choos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 12:51
L13	77	conduct\$4 near1 organic near2 (advantag\$4 or benefit\$4 or motivat\$4 or desir\$4 or choos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 12:51
L15	7	control\$4 near2 capacitance with (benefi\$4) same circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 14:31
L16	57	blown with fuse with impedance same current	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 14:34
L18	1	"20030080393" and organic same semiconductor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 15:13
L19	1	"20030080393" and conductor same semiconductor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 15:14

L20	0	"20030080393" and organic same (IC or circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 15:17
L21	1	"20030080393" and organic same (IC or circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/27 15:17
S1	2	"20060108416"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 11:35
S2	6	((("5495098") or ("20060109264") or ("20060125637"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/15 11:40
S3	3	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (forge\$4 or impersonat\$4 or "unauthorized access\$4") and resistor same (impedance) same (high\$4 or low\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 11:46
S4	292	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4) and resistor same (impedance) same (high\$4 or low\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 11:47
S5	376	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe) and resistor same (impedance) same (high\$4 or low\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 11:47
S6	1670	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent \$4) and resistor same (impedance) same (high\$4 or low\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 11:49
S7	534	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent \$4) and resistor near10 (impedance) near10 (high\$4 or low\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 11:50

S8	1153	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent \$4) and resistor same (impedance) same (high\$4 or low\$4) same voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 11:50
S9	331	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent \$4) and resistor near10 (impedance) near10 (high\$4 or low\$4) same voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:06
S10	3	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent \$4) and resistor near10 (impedance) near10 (high\$4 or low\$4) same voltage same (irreversib\$4 or reversib\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:02
S11	59	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4 or safe or (prevent \$4 near3 access\$4) ) and resistor near10 (impedance) near10 (high\$4 or low\$4) same voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:33
S12	2	"20060289653"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:37
S13	2064	driv\$4 same scan\$4 and 235/462.\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:37
S14	15	driv\$4 same scan\$4 same torsion same axis and 235/462.\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:39
S15	17	driv\$4 same torsion same axis and 235/462.\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:39
S16	635	driv\$4 same axis same (mov\$4 or rotat\$4 or oscillat\$4) and 235/462.\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:40
S17	142	driv\$4 same axis same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 and 235/462.\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:41

S18	159	(motor or driv\$4) same axis same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 and 235/462\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:43
S19	57	(motor or driv\$4) same axis same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 and 235/462\$. ccls. and (taut or torsion\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:46
S20	54	(motor or driv\$4) same axis same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 and 235/462\$. ccls. and (taut or torsion\$4) and flex\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:50
S21	54	(motor or driv\$4) same axis same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 and 235/462\$. ccls. and (taut or torsion\$4) and flex\$6 and mirror	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 12:59
S22	4	(motor or driv\$4) same axis same mirror same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 near20 (taut or torsion\$4) same flex\$6 and 235/462\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 14:07
S23	2	(motor or driv\$4) same axis same mirror same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 near20 (taut or torsion\$4) same flex\$6 and 235/462\$. ccls. and flexing same opposite	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 14:11
S24	1	(motor or driv\$4) same axis same mirror same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 near20 (taut or torsion\$4) same flex\$6 and 235/462\$. ccls. and flexing same opposite same direction	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 14:10
S25	1	(motor or driv\$4) same axis same mirror same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 near20 (taut or torsion\$4) same flex\$6 and 235/462\$. ccls. and flexing same opposite same oscillat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 14:10
S26	4	(motor or driv\$4) same axis same mirror same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 near20 (taut or torsion\$4) same flex\$6 and 235/462\$. ccls. and flex\$4 same (oscillat\$4 or direction or mov\$4 or rotat\$4 or omnidirection\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/15 14:15

S27	4	(motor or driv\$4) same axis same mirror same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 near20 (taut or torsion\$4) same flex\$6 and 235/462.\$ccls. and flex\$4 with axis same (oscillat\$4 or direction or mov\$4 or rotat\$4 or omnidirection\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/16 11:13
S28	3	(motor or driv\$4) same axis same mirror same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 near20 (taut or torsion\$4) same flex\$6 and 235/462.\$ccls. and flex\$4 with axis same (oscillat\$4 or direction or mov\$4 or rotat\$4 or omnidirection\$4) and flex\$4 same along with axis	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/16 12:06
S29	3	(motor or driv\$4) same axis same mirror same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 near20 (taut or torsion\$4) same flex\$6 and 235/462.\$ccls. and flex\$4 with axis same (oscillat\$4 or direction or mov\$4 or rotat\$4 or omnidirection\$4) and spring same (support\$4 or base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/16 12:27
S31	0	(motor or driv\$4) same axis same mirror same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 near20 (taut or torsion\$4) same flex\$6 and 235/462.\$ccls. and flex\$4 with axis same (oscillat\$4 or direction or mov\$4 or rotat\$4 or omnidirection\$4) and end with other	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/16 12:32
S32	1	(motor or driv\$4) same axis same mirror same (mov\$4 or rotat\$4 or oscillat\$4) same magnet\$4 near20 (taut or torsion\$4) same flex\$6 and 235/462.\$ccls. and flex\$4 with axis same (oscillat\$4 or direction or mov\$4 or rotat\$4 or omnidirection\$4) and flex\$4 same mass same torsion\$4 same base	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/16 13:11
S34	4050	mirror same (mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 )with (flex \$4 or bend\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/16 13:13
S35	197	mirror same (mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 )with (flex \$4 or bend\$4) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/16 13:15
S36	28	mirror same (mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 )with (flex \$4 or bend\$4) same (taut or torsion\$4 or tension\$4) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/16 13:23

S37	1	mirror same (mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 )with (flex\$4 or bend\$4) same (taut or torsion\$4 or tension\$4) and "235"/\$.ccls. and flap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 14:34
S39	67	(mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 ) and "235"/\$.ccls. and pin same cutout	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 14:35
S40	0	(mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 )with (flex\$4 or bend\$4) same (taut or torsion\$4 or tension\$4) and "235"/\$.ccls. and current same appl\$5 same flap	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 14:44
S41	11	(mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 )with (flex\$4 or bend\$4) same (taut or torsion\$4 or tension\$4) and "235"/\$.ccls. and flap	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 14:52
S42	67	(mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 ) with (scan\$4) same (torsion\$4 or tension\$4) same (flex\$4 or bend\$4 or turn\$4) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 14:55
S43	72	(mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 ) with (scan\$4) same (taut or torsion\$4 or tension\$4) same (flex\$4 or bend\$4 or turn\$4) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 16:08
S44	467	("micro-electro-mechanical" or (mirconear3mechanical) or MEMS) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 15:02
S45	54	("micro-electro-mechanical" or (mirconear3mechanical) or MEMS) and (taut or torsion\$4 or tension\$4) same (flex\$4 or bend\$4 or turn\$4) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 15:07
S46	39	("micro-electro-mechanical" or (mirconear3mechanical) or MEMS) and (taut or torsion\$4 or tension\$4) same (flex\$4 or bend\$4 or turn\$4) and (flap\$4 or tab) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 15:12
S47	33	("micro-electro-mechanical" or (mirconear3mechanical) or MEMS) and (taut or torsion\$4 or tension\$4) same (flex\$4 or bend\$4 or turn\$4) and (flap\$4 or tab) and (mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 ) same (mirror or scan\$4) and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 15:12
S48	0	"5614706".pn. and taut	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 16:02
S49	2	"5614706".pn. and drive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 16:03

S50	1	"5614706".pn. and drive and band	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 16:03
S51	61	(mov\$4 or rotat\$4 or oscillat\$4 or raster\$4 ) with (scan\$4) same (taut or torsion\$4 or tension\$4) same (flex\$4 or bend\$4 or turn\$4) and "235"/\$.ccls. and mirror	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/17 16:55
S52	25	bard.in. and torsion\$4 same coil same magnet same mirror	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 11:02
S53	851	(tension\$4 or taut) near2 flap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 11:02
S54	235	(tension\$4 or taut) adj1 flap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/18 11:03
S55	212	(prevent\$4) near4 (unauthoriz\$4 or "not authoriz\$4" or non-authoriz\$4 or unverif\$7 or non-verif\$7) near4 (access\$4) same (attempt\$4 or signal) with (authoriz\$6 or verif\$7 or inconsistent\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/18 13:47
S56	3	(prevent\$4) near4 (unauthoriz\$4 or "not authoriz\$4" or non-authoriz\$4 or unverif\$7 or non-verif\$7) near4 (access\$4) same (attempt\$4 or signal) with (authoriz\$6 or verif\$7 or inconsistent\$5) same (impedance or resist\$6 or voltage or conductor or capacit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/18 13:48
S57	3	(kobayashi.in. or oono.in. or fujii.in.) and code.clm. and decod\$4. clm. and display\$4.clm. and device.clm. and image.clm. and pattern.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/18 14:00
S58	2	("6034603").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/18 19:36
S59	2	("5594738").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/18 19:43
S60	2	("20030212827").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/18 19:43
S61	2	("20060077041").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/18 19:46

S62	0	("11432684").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/18 19:49
S63	2	("20070262144").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/18 19:50
S65	35365	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") near10 (secur\$4 or forge\$4 or impersonat \$4 or "unauthorized access\$4" or unauthoriz\$4 or safe or prevent \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 11:30
S66	13141	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat \$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent \$4) same (low or off or down)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 11:32
S67	1860	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat \$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent \$4) same (low or off or down) with (turn\$4 or chang\$4 or alter \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 11:33
S68	1380	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat \$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent \$4) same (low or off or down) near3 (turn\$4 or chang\$4 or alter \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 11:33
S69	1286	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat \$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent \$4) same (low or off or down) near2 (turn\$4 or chang\$4 or alter \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 11:34



S70	979	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent\$4) same (low or off or down) near2 (turn\$4 or chang\$4 or alter\$4) same (power\$4 or resistor or impedance or voltage or conductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 11:36
S71	986	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent\$4) same (low or off or down) near2 (turn\$4 or chang\$4 or alter\$4) same (power\$4 or resistor or impedance or voltage or conductor or capacitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 11:36
S72	22	("integrated circuit" or "ic card" or smartcard or "smart card" or smart-card or "chip card") same (secur\$4 or forge\$4 or impersonat\$4 or "unauthorized access\$4" or unauthoriz\$4 ot safe ot prevent\$4) same (low or off or down) near2 (turn\$4 or chang\$4 or alter\$4) same (power\$4 or resistor or impedance or voltage or conductor or capacitor) same (verification or verif\$5 or authenticat\$4 or authoriz\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 11:37
S73	2	"20060108416" and irreversi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 11:58
S74	163	voltage with resistor with impedance with high with low with power\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 12:07
S75	8	voltage with resistor near6 impedance near2 high near2 low with power\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 12:09
S76	4	gercekci.in. and circuit and code and fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 12:25
S77	24	("3641499").PN. OR ("4841133").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/25 12:34
S78	4	((("20060109264") or ("20060125637"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/25 12:39

S79	1657	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 12:42
S80	21	fuse with organic near2 conduct \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 12:46
S81	3346	fuse near4 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 12:46
S82	75	fuse near2 formed near2 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 13:16
S83	108	voltage near2 appl\$6 near2 (chang\$4 or alter\$4) near2 impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 13:25
S84	16	voltage near2 appl\$6 near2 (chang\$4 or alter\$4) near2 impedance same (fuse or resist \$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 13:46
S85	947	voltage near1 appl\$6 near2 impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 13:59
S86	2	voltage near1 applied near2 (resistor or capacitor or conductor) near2 (chang\$4 or alter\$4) near2 impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 14:01
S87	1	(voltage or current) near1 appl\$6 near2 impedance near1 applied near2 (resistor or capacitor or conductor) near2 (chang\$4 or alter\$4) near2 impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 14:01
S88	3	voltage near1 applied near2 (resistor or capacitor or conductor) near2 (chang\$4 or alter\$4 or lower or increas\$4 or decreas\$4) near2 impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 14:02
S89	3	voltage near1 appl\$5 near2 (resistor or capacitor or conductor) near2 (chang\$4 or alter\$4 or lower or increas\$4 or decreas\$4) near2 impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 14:03
S90	6	voltage near1 appl\$5 near2 (resist \$5 or capacit\$5 or conduct\$5) near2 (chang\$4 or alter\$4 or lower or increas\$4 or decreas\$4) near2 impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/03/25 14:03

3/ 27/ 08 3:54:05 PM

C:\Documents and Settings\atrail\My Documents\EAST\Workspaces\ 10538037.wsp